EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9372	709/238	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:15
S1	6065	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20 12:37
25	0	("10123996", "10209743", "10356392", "10610304"). AP.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/27 08:09
S3	1	("10123996", "10209743", "10356392", "10610304"). AP.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 12:29
S4	2	("7167472").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20 12:41
S 5	29	("Missimer").IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20 12:42
S6	1617	("Rai").IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20 12:42
S7	1	("Rai, Aaditya").IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	AND	ON	2007/02/20 12:42

S8	34	("Rai, A").IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20
S9	9533	("Shah").IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20 12:44
S10	0	("Shah, Detan").IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20 12:44
S11	56	("Shah, Ketan").IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20 12:44
S12	7	("Roy, Subhojit").IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20 12:46
S13	204	("Brocade Communication Systems").AS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20 12:47
S14	199	fibre WITH channel WITH zoning	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20 16:20
S15	21	(fibre WITH channel WITH zoning) SAME (device WITH name) SAME (hardware)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/20 16:23

S16	19	["20010028652" "20020159468" "20020159468" "200300355454" "4715030" "4845722" "5390188" "5941972" "6041058" "6044400" "6128298" "6147976" "6233236" "6304939" "6401128" "6480488" "6587463" "6765919" "6980525").PN.	US-POPUB; USPAT; USOCR	AND	ON	2007/02/20 16:36
S17	28733	(data WITH mirror\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 09:15
S18	4210	(data! WITH mirroring!)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 09:33
S19	1211	(data! WITH mirroring!) AND SAN	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 09:34
S 20	1195	(data! WITH mirroring!) AND SAN!	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 09:58
\$21	0	((data! WITH mirroring!) SAME SAN!) SAME (multiple! ADJ targets!)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26
S22	2	((data! WITH mirroring!) SAME SAN!) AND (multiple! ADJ targets!)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:01
\$23	123	((data! WITH mirroring!) SAME SAN!)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 11:09

S24	50	((disk! WITH mirroring!) SAME SAN!)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 11:10
825	34	[US-20070028139-\$ or US- 20070011424-\$ or US- 20060253696-\$ or US- 20060253696-\$ or US- 200602136911-\$ or US- 20060218617-\$ or US- 20060168397-\$ or US- 20050168617-\$ or US- 20050027892-\$ or US- 20050027892-\$ or US- 20050027892-\$ or US- 20050027893-\$ or US- 200500243609-\$ or US- 200500243609-\$ or US- 20050078091-\$ or US- 20050078091-\$ or US- 20040216077-\$ or US- 20040216077-\$ or US- 20040143639-\$ or US- 20040151174-\$ or US- 20040151174-\$ or US- 20040151174-\$ or US- 200401511774-\$ or US- 20040151774-\$ or US- 2004015177693-\$ or US- 2004015177693-\$ or US- 2004015177693-\$ or US- 20040151777693-\$ or US- 20050076091-\$) or US-	US-PGPUB; USPAT; DEFIWENT	AND	ON	2007/02/26
S26	12490	fibre! WITH channel!	US-PGPUB; USPAT; DERWENT	AND	ON	2007/02/26 12:32
\$27	375	(fibre! WITH channel!) AND (switched ADJ fabric)	US-PGPUB; USPAT; DERWENT	AND	ON	2007/02/26 12:33
\$28	40	(fibre! WITH channel!) AND (switched ADJ fabric) AND ((disk! OR data!) WITH mirroring!)	US-PGPUB; USPAT; DERWENT	AND	ON	2007/02/26 12:34
\$29	2	(*6732243*).FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 16:15
S30	9	("20010013076" "20020099881").PN. OR ("6732243").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/02/26 15:13

S31	2	("6219753").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 15:35
S32	2	(*6948044*).FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 15:51
S33	2	(*6948044*).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 15:52
\$34	2	(*6321298"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 16:04
\$35	2	(*6732243*).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 16:04
S36	2	(*7047358").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 16:05
\$37	9	(mirroring SAME device) SAME (multiple SAME blocks SAME data) SAME (multiple SAME targets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 16:13
\$38	1	(mirroring SAME device) SAME (multiple SAME blocks SAME data) SAME (multiple SAME targets) SAME write\$3 SAME amount!	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 16:14
539	2	("6880062").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 16:17

S40	2	(*6880062").FN. OR (*077199")".AP'	US-PGPUB; USPAT; USCCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 17:01
S41	2	("7024527").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 16:20
S42	0	("077199")".AP"	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 17:02
S43	0	(*10077696").AP.	US-PGPUB; USPAT; USCCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/27 08:10
S44	0	("10076855").AP.	US-PGPUB; USPAT; USCCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/27 08:10
S45	0	("10076909").AP.	US-PGPUB; USPAT; USCCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/27 08:11
S46	1	(*10077482*).AP.	US-PGPUB; USPAT; USCCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 13:46
S47	0	(*10077181*).AP.	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/27 08:12
S48	0	("10076906").AP.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	AND	ON	2007/02/27 08:12

S49	0	(*10076878*). A P.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/27 09:10
S50	3020	711/202	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/27 09:10
S51	3866	(write ADJ request) AND half	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 13:47
S52	344	(write ADJ request) SAME half	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 13:47
S53	214	((write ADJ request) SAME half) AND @ad<"20030902"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 13:52
S54	280	((write ADJ request) SAME block SAME multiple) AND @ad< "20030902"	US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 13:53
S55	254	((write ADJ request) SAME block SAME multiple) AND (half OR reduce OR reduced OR reduction OR (less ADJ than) OR quarter OR portion) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 14:04
S56	189	[((write ADJ request) SAME block SAME multiple) AND ((half OR reduce OR reduced OR reduction OR (less ADJ than) OR quarter OR portion) SAME write) AND (@ad-"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 16:07

S57	12	((write NEAP2 request) SAME block SAME multiple) AND (((reduce OR reduced OR reduction OR (less ADJ than) OR portion) SAME write) SAME (half or quarter)) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	O C	2007/08/17 16:47
S58	1	(((multiple NEAF2 blocks) NEAF2 data) SAME half) AND SAN AND @ad< "20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 16:49
S59	9	(((multiple NEAF2 blocks) NEAF2 data) SAME half) AND @ad< "20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17
S60	37613	(quarter SAME half) AND @ad<"20030902"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 16:51
S61	3760	(quarter SAME half) SAME transmi\$5 AND @ad< "20030902"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 16:51
S62	70	(((quarter SAME half) SAME transmi\$5) SAME (write OR read)) AND @ad<"20030902"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 16:53
S63	0	(((quarter SAME half) SAME (reduce) SAME transmi\$5) SAME (write OR read)) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/17 16:52
S64	68	(((quarter SAME half) SAME transmi\$5) SAME (write OR read)) AND @ad<"20030902"	US-PGPUB; USPAT; FPRS; EPO	AND	ON	2007/08/17 16:55
S65	83	((quarter SAME transmi\$5) SAME (write OR read)) AND ((half SAME transmi\$5) SAME (write OR read)) AND @ad< "20030902"	US-PGPUB; USPAT; FPRS; EPO	AND	ON	2007/08/17 17:13

S66	71	((quarter SAME transmi\$5) SAME (write OR read)) AND ((half SAME transmi\$5) SAME (write OR read)) AND redu\$6 AND @ad<"20030902"	US-PGPUB; USPAT; FPRS; EPO	AND	ON	2007/08/17 16:56
S67	0	DATA NEAR3mirroring	US-PGPUB; USPAT; FPRS; EPO	AND	ON	2007/08/17 17:13
S68	2784	DATA NEAR3 mirroring	US-PGPUB; USPAT; FPRS; EPO	AND	ON	2007/08/21 08:32
S69	2121	(DATA NEAP3 mirroring) AND transfe\$4	US-PGPUB; USPAT; FPRS; EPO	AND	ON	2007/08/21 08:36
S70	1190	(DATA NEAR3 mirroring) AND (transfe\$4 SAME writ \$4)	US-PGPUB; USPAT; FPRS; EPO	AND	ON	2007/08/21 08:36
S71	315	(DATA NEAR3 mirroring) AND (transfe\$4 SAME writ \$4) AND (half OR quarter)	US-PGPUB; USPAT; FPRS; EPO	AND	ON	2007/08/21 08:39
S72	206	(DATA NEAR3 mirroring) AND (transfe\$4 SAME writ \$4) AND (half OR quarter) AND @ad<"20030902"	US-PGPUB; USPAT; FPRS; EPO	AND	ON	2007/08/21 09:41
S73	1	"5,799,141".PN.	US-PGPUB; USPAT; FPRS; EPO	AND	ON	2007/08/21 08:49
S74	3	(DATA NEAR3 mirroring) AND ((transfe\$4 SAME writ \$4) NEAR15 (half OR quarter)) AND @ad<"20030902"	US-PGPUB; USPAT; FPRS; EPO	AND	ON	2007/08/21 09:41
S75	2078	(data ADJ (mirror\$4 duplicating)) AND (@ad<"20030902" @rlad<"2003902")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 12:46
S76	773	((data ADJ (mirror\$4 duplicating)) AND (half quarter subset)) AND (@ad<"20030902" @rlad<"2003902")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 12:49
S77	204	((data ADJ (mirror\$4 duplicating)) AND (half quarter subset) AND (write ADJ request)) AND (@ad<"20030902" @rlad<"2003902")	US-PGPUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 12:51

S78	13	((data ADJ (mirror\$4 duplicating)) AND ((half quarter subset) SAME (write ADJ request))) AND ((@ad<"20030902" @rlad<"2003902")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2008/08/28 12:53
S79	457	((data ADJ (mirror\$4 duplicating)) AND ((write ADJ request))) AND (@ad< "20030902" @rlad< "2003902")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 13:06
S80	170	((data ADJ (mirror\$4 duplicating)) AND ((number amount) SAME (write ADJ request))) AND (@ad<"20030902" @rlad<"2003902")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 13:13
S81	109	((data ADJ (mirror\$4 duplicating)) AND ((new recursi\$6 red\$4) SAME (write ADJ request))) AND (@ad<"20030902" @rlad<"2003902")	US-PGPUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 13:54
S82	28	((write ADJ request) AND half).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/28 16:46
S83	622	((data NEAP2 (mirror\$4 duplicat\$4)) AND ((reduc\$5 lower\$4 chang\$4) SAME ((write access) ADJ request))) AND (blocks) AND (@ad< "20030902") @rlad<"20030902")	US-PGPUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:03
S84	571	(((write access) NEAP2 request) SAME half) AND (@ad<"20030902")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 09:11
S85	6342	(((write access read) NEAR2 request) SAME (reduc\$5 small \$5 subset)) AND (@ad<"20030902")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:05
S86	522	(((write access read) ADJ request) SAME ((reduc\$5 small\$5 subset) NEAF2 request)) AND (@ad<"20030902")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:06

S87	1306	((data ADJ blocks) SAME half) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 14:09
S88	57	((data ADJ blocks) SAME half SAME request) AND @ad<"20030902"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 14:10
S89	95	(Raid ADJ Book:)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 17:32
S90	2138	(duster SAME mirror\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 18:05
S91	52	(duster SAME mirror\$4) SAME half	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 18:06
S92	22	((cluster AND (mirror\$4 NEAR2 data)) AND ((half subset partial) NEAR3 (block NEAR2 data)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 08:29
S93	81	(((half subset partial) NEAR3 (block NEAR2 data)) SAME request) AND @ad<"20030902"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 08:40
S94	131	(((half subset partial reduc \$4) NEAR3 (block NEAR2 data)) SAME request) AND @ad<"20030902"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 08:42
\$95	23	("4103328" "4246637" "4268906" "4602331" "4802535" "4805090" "4825357" "4804532" "4897840" "4905184" "5016121" "5058004" "5121492" "5150465" "518336" "5261072" "5266781" "5293590" "5307471" "5313612" "5313617") PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/09 09:34

S96	54	("5661848").URPN.	USPAT	OR	ON	2008/12/09 09:57
S97	1127	(((half subset partial reduc \$4) SAME (block NEAR2 data)) SAME request) AND @ad<"20030902"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 10:02
S98	996	S97 NOT S94	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 10:02
S99	47699	SAN AND mirror\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 10:03
S100	75	S98 AND S99	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 10:03
S101	140268	storage AND mirror\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 10:04
S102	169	598 AND S101	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 10:05
S103	1057	(((half subset partial reduc \$4) NEAR3 (block NEAR2 data)) AND request) AND @ad<"20030902"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 10:16
S104	926	S103 NOT 594	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 10:16
S105	531	(((half subset partial reduc \$4) NEAR3 (block NEAR2 data)) AND ((request\$5 SAME (subset partial reduc\$4 half) SAME data))) AND @ad<"20030902"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 12:57

S106	28	((receiv\$5) SAME ((half subset partial reduc\$4) NEAR3 (block NEAR2 data) SAME (write access)) AND ((request\$5 SAME (subset partial reduc\$4 half) SAME (data))) AND (@adc*20030902*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2008/12/09 13:33
S107	879	((receiv\$5) SAME ((half subset partial reduc\$4) NEAR3 (data) SAME (write access)) AND ((request\$5 SAME (subset partial reduc\$4 half) SAME datal)) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 13:43
S108	63	((receiv\$5) SAME ((half subset partial reduc\$4) NEAR3 (data) SAME (write access)) AND ((request\$5 SAME (subset partial reduc\$4 half) SAME (atal)) AND (storage SAME (raid mirror \$4)) AND @ad~"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 13:44
S109	3	*20020083185*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 14:34
S110	196	((data ADJ2 transfer) SAME reply SAME (available allow \$5)) AND @ad< "20030902"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 14:58
S111	965	((data ADJ2 transfer) SAME (write access) SAME (data NEAR1 block) SAME (sufficient insufficient portion partial reduc\$5 allowable number accommodate limit threshold) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 16:10
S112	127	((data AD./2 transfer) SAME (write access) SAME (data NEAR1 block) SAME (sufficient insufficient portion partial reduc\$5 allowable number accommodate limit threshold)) AND (storage SAME (mirros²4 raid)) AND @ad<*20030902*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 16:12

S113	167	((data AD.& transfer) SAME (write access) SAME ((data NEAR1 block) message) SAME (sufficient insufficient portion partial reduc\$5 allowable number accommodate limit threshold)) AND (storage SAME (nirror\$4 raid)) AND @ad<*20030902*	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	NON CONTRACTOR OF THE PROPERTY	2008/12/09 16:56
S114	25801	((transmit\$4 write\$4 transfer \$4) NEAR3 block NEAR2 data) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 17:31
S115	874	((transmit\$4 write\$4 transfer \$4) NEAR3 block NEAR2 data) AND (storage SAME mirror\$4) AND @ad< "20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 17:31
S116	3	((transmit\$4 write\$4 transfer \$4) NEAR3 (half subset) NEAR3 (block NEAR2 data)) AND (storage SAME mirror \$4) AND @ad<*20030902*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 17:41
S117	2661	((transmit transfer send) SAME (response request write) SAME ((block NEAF2 data) message) AND ((mirror \$4 raid) SAME storage)) AND @ad<"20030902"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 08:14
S118	908	((transmit transfer send) SAME (response request SAME (block NEAP2 data)) AND (number allow\$5 amount limit threshold) AND ((mirror\$4 raid) SAME storage)) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 08:16
S119	394	((transmit transfer send) SAME (response request write) SAME ((block NEAP2 data)) SAME (number allow \$5 amount limit threshold) AND ((mirror\$4 raid) SAME storage) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 08:17

S120	230	((transmit transfer send) SAME (response request write) SAME ((block NEAP2 data)) SAME ((number allow \$5 amount limit threshold) NEAP4 block)) AND ((mirror \$4 raid) SAME storage) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 08:32
S121	784	((transmit transfer send write) SAME half SAME (block NEAR2 data)) AND @ad< "20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:08
S122	38	((transmit transfer send write) SAME half SAME (block NEAR2 data)) AND (storage SAME (mirror\$5 raid)) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:09
S123	1	(((transmit transfer send write) NEAR3 half) SAME (block NEAR2 data)) AND (storage SAME (mirror\$5 raid)) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:10
S124	16	(((transmit transfer send write) NEAR3 half) NEAR3 (block NEAR2 data)) AND (storage) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:11
S125	23	(((transmit transfer send write) NEAR3 half) NEAR3 (block NEAR2 data)) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:18
S126	21	(((transmit transfer send write) NEAR3 half) NEAR3 (blocks!)) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:21
S127	57	(((transmit transfer send write) NEAR3 half) NEAR3 (message)) AND @ad<"20030902"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:49
S128	8529	709/238	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:43

6/25/2009 4:55:41 PM

C:\ Documents and Settings\ wgoodchild\ My Documents\ EAST\ Workspaces\ 10661345.wsp